


# 1. Main

## Exploded View



## Parts List


| No. | Lvl. | Loc. | Material Code | Description & Specification               | SNA | Qty. |
|-----|------|------|---------------|-------------------------------------------|-----|------|
| 1   | 1    | M001 | DE64-02356G   | PANEL OUTER; MW73B-S,EGI-SECC,T0.4,NEO SI | SA  | 1    |
| 1-1 | 2    |      | DE64-02356A   | PANEL OUTER-PRESS; 0.7ECO PLATFORM,EGI-SE | SNA | 1    |
| 2   | 1    |      | DE94-02801A   | ASSY ACCESSORY PARTS; GE82V-SS/XEG,DEUTCH | SNA | 1    |
| 2-1 | 2    | T165 | DE94-02266D   | ASSY GUIDE ROLLER; MW73BR/BWT (ECO),SPS,T | SA  | 1    |
| 2-2 | 2    | T030 | DE74-70071D   | RACK WIRE; 0.7/NC2000,MSWR-SWRM,PI3,D230, | SA  | 1    |
| 2-3 | 2    |      | DE69-00191A   | PAD-RACK; CE2877N,CB                      | SNA | 1    |
| 2-4 | 2    | T023 | DE94-01769B   | ASSY-STEAM BOWL; STEEL HEART,PP,-         | SNA | 1    |
| 3   | 2    | T001 | DE74-20102D   | TRAY COOKING; G643C-1(3RD-0.6),GLASS,T6,- | SA  | 1    |

| No.  | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|------|------|-------|---------------|----------------------------------------------|-----|------|
| 4    | 2    | M034  | DE67-00258A   | COUPLER; 0.7ECO<br>PLATFORM,PPS,BROWN,0103-0 | SA  | 1    |
| 5    | 2    | M099  | DE66-00226A   | LEVER DOOR; 0.7ECO PLATFORM,PP,WHITE         | SA  | 1    |
| 6    | 1    |       | DE96-00907A   | ASSY-POWER PACK; 0.8 GRILL,0.8 GRILL         | SNA | 1    |
| 6-1  | 2    | M038  | DE26-00144A   | TRANS H.V; SHV-EURO4-1,230V,2370V/3.50V,A    | SA  | 1    |
| 6-2  | 2    | M039  | 2501-001011   | C-OIL HIGH VOLTAGE; 910nF,2100V,BK,34x54x    | SA  | 1    |
| 6-3  | 2    | M527  | DE59-00002A   | DIODE-H.V;<br>MWO,2CL4512H/CL04-12A,500mA,12 | SA  | 1    |
| 6-4  | 2    | M042  | DE91-70061C   | ASSY H.V.FUSE;<br>THV060T,5KV,700mA,SCREW,BL | SA  | 1    |
| 6-5  | 2    | M035  | OM75P(31)ESGN | ASSY-MGT; ASSY-MGT                           |     | 1    |
| 7    | 2    | M049  | DE31-10154D   | MOTOR AC DRIVE; 8,21V,50/60Hz,3W,5/6rpm      | SA  | 1    |
| 8    | 2    | M048  | DE61-01262D   | BASE PLATE; ECO,GI-SGCC,T0.5,EU Regulatio    | SNA | 1    |
| 10   | 2    |       | DE66-00219A   | WIRE-BAND; ALL CMO MODEL,PP,,,,,,,,,T0.9     | SNA | 1    |
| 11   | 1    | B022  | DE94-02265E   | ASSY BODY LATCH; ECO PUSH BUTTON,1A<br>DOOR  | SA  | 1    |
| 11-1 | 2    | B076  | DE66-00225A   | LATCH BODY; 0.7/0.8 ECO<br>PLATFORM,PP,WHITE | SNA | 1    |
| 11-2 | 2    | B046  | 3405-001032   | SWITCH-MICRO;<br>125/250VAC,16A,200gf,SPDT,T | SA  | 1    |
| 11-3 | 2    | B048  | 3405-001034   | SWITCH-MICRO;<br>125/250VAC,16A,200gf,SPST-N | SA  | 1    |
| 11-4 | 2    | S0021 | 3405-001116   | SWITCH-MICRO;<br>125/250VAC,1A,200gf,SPST-NO | SA  | 1    |
| 11-5 | 2    | L0001 | DE66-00234A   | LEVER SWITCH;<br>MW73B,POM,NC0001,F20-03,WHI | SNA | 1    |
| 12   | 2    | M451  | DE47-20032B   | THERMOSTAT;<br>125/250V,15/7.5A,85,75,NORMAL | SA  | 1    |
| 13   | 2    | M436  | DE47-20009A   | THERMOSTAT;<br>125/250V,15/7.5A,150,60,NORMA | SA  | 1    |
| 14   | 1    | P141  | DE94-02322D   | ASSY CAVITY-COATING; 0.8<br>CU.FT,GE83XR,0.8 | SNA | 1    |
| 14-1 | 2    | Z778  | DE94-02324D   | ASSY CAVITY-WELDING; 0.8 ECO FIXED<br>GRILL, | SNA | 1    |
| 15   | 2    | M036  | 4713-001524   | LAMP-INCANDESCENT;<br>22x53,BK,20,230,CLEAR, | SA  | 1    |
| 16   | 2    | M017  | DE96-00399A   | ASSY NOISE FILTER;<br>SN-UF11A,250V/15A,250V | SA  | 1    |
| 16-1 | 3    | M019  | 3601-001197   | FUSE-CARTRIDGE;<br>250V,15A,SLOW-BLOW,CERAMI | SA  | 1    |
| 17   | 1    | M015  | DE96-00385E   | CBF-POWER CORD;<br>AT,EUROPE,EU3S,,,Gray,11  | SA  | 1    |
| 18   | 2    | M020  | DE96-00848E   | ASSY MOTOR FAN;<br>GE73M/XEO,230V50HZ,2450R. | SA  | 1    |
| 18-1 | 3    | M023  | DE31-10185A   | MOTOR AC FAN;<br>SMF-3RDEA1,2,230V,50Hz,20W, | SA  | 1    |

| No.  | Lvl. | Loc. | Material Code | Description & Specification                  | SNA | Qty. |
|------|------|------|---------------|----------------------------------------------|-----|------|
| 18-2 | 3    | H099 | DE31-90057A   | BLADE-FAN; 3RD-W,PP,T1.5,T1.5                | SA  | 1    |
| 18-3 | 3    |      | DE63-00788A   | COVER BLOWER; ECO,<br>NC2K,PP,T1.2,HB,NATURA | SA  | 1    |
| 19   | 2    | M037 | DE63-00651A   | COVER AIR; 0.7ECO PLATFORM,GI-SGCC,T0.4      | SA  | 1    |
| 20   | 2    | M051 | DE71-00159A   | COVER-CEILING; CN2835,MICA<br>SHEET,T0.3,W11 | SA  | 1    |
| 21   | 2    | M040 | DE61-01263A   | BRACKET-HVC; 0.7ECO<br>PLATFORM,EGI-SECC,T0. | SA  | 1    |
| 22   | 2    |      | DE63-00787A   | COVER BASE; ECO, NC2K, 1.0,PP,T1.5,HB,BLA    | SA  | 1    |
| 23   | 2    | M126 | DE63-90064B   | CUSHION; PU FOAM,T5X10X50                    | SNA | 2    |
| 24   | 1    |      | DE90-01069A   | ASSY GRILL PARTS; GE83XR,ENAMEL,0.8<br>ECO F | SNA | 1    |
| 24-1 | 2    | H061 | DE47-00016A   | HEATER SHEATH-GRILL;<br>AC230V,BKT,1100W(108 | SA  | 1    |
| 24-2 | 2    | M008 | DE63-00049A   | GASKET-HEATER;<br>CE2613N,BRASS,T1.0,W53,L15 | SA  | 1    |
| 24-3 | 2    | M094 | DE63-00048A   | GASKET-STOPPER;<br>CE2613N,EGI-SECC,T1.0,W53 | SA  | 1    |
| 24-4 | 2    | M003 | DE61-01318A   | BRACKET-UPPER(GRILL); 0.8<br>Chic,EGI-SECC,T | SA  | 1    |
| 24-5 | 2    | M535 | DE61-30008A   | SUPPORT HEATER;<br>GE87H/BAL,ALUMINA,T12,W11 | SNA | 1    |
| 24-6 | 2    | M005 | DE61-70060A   | SPRING-PLATE; SK5,T0.5                       | SNA | 1    |
| 24-7 | 2    | M483 | DE65-20014A   | CABLE CLAMP; NY-66,DA-6N                     | SNA | 1    |
| 24-8 | 2    | M036 | DE65-20029A   | CORD CLAMP;<br>GA-SGCC,L94XT0.5,GALVA,BLK,-, | SNA | 1    |
| 24-9 | 2    | P186 | DE63-00678A   | COVER BACK; 0.8 chic,EGI-SECC,T0.4,GRILL     | SNA | 1    |
| 25   | 1    | W001 | DE96-00865A   | ASSY WIRE HARNESS; 0.8 S_Grill,230VAC,230    | SA  | 1    |
| 26   | 2    | M447 | DE47-20010A   | THERMOSTAT;<br>125/250V,15/7.5A,120,60,NORMA | SA  | 1    |

## 1.1. Assy Door

### Exploded View




### Parts List

| No.   | Lvl. | Loc. | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|------|---------------|----------------------------------------------|-----|------|
| 1     | 1    | D049 | DE94-02898A   | ASSY DOOR;<br>GE712MR,HG0760SR,BLACK,Marimba | SA  | 1    |
| 1-1   | 2    | D037 | DE94-02893A   | ASSY DOOR A;<br>ME73MR,HG0760SR,BLACK,MARIMB | SA  | 1    |
| 1-1-1 | 3    | Z779 | DE64-02623A   | INLAY-DOOR;<br>MARIMBA,STAINLESS-ST5430,T0.4 | SA  | 1    |
| 1-1-2 | 3    | D002 | DE64-02621A   | DOOR A; ME73MR,ABS,BLACK,Marimba             | SNA | 1    |
| 1-2   | 2    | D004 | DE94-02262B   | ASSY DOOR E-COATING; MW73BR,SCP<br>T0.4,BLAC | SA  | 1    |
| 1-2-1 | 4    |      | DE61-01269A   | BRACKET-DOOR HINGE(UPPER); 0.7ECO<br>PLATFOR | SNA | 1    |
| 1-2-2 | 4    |      | DE61-01270A   | BRACKET-DOOR HINGE(LOWER); 0.7ECO<br>PLATFOR | SNA | 1    |
| 1-3   | 2    | D005 | DE64-00221E   | FILM DOOR; -,CE2877N,PET,T0.15,W143,L264,    | SNA | 1    |

| No. | Lvl. | Loc. | Material Code | Description & Specification                  | SNA | Qty. |
|-----|------|------|---------------|----------------------------------------------|-----|------|
| 1-4 | 2    | D007 | DE61-00198A   | SPRING KEY; M1877,HSWR-SWRH,PI0.7,D6,24<br>1 | SNA | 1    |
| 1-5 | 2    | D006 | DE64-02354A   | DOOR C; 0.7ECO<br>PLATFORM,PP,-,HB,T332,BLAC | SNA | 1    |
| 1-6 | 2    | D024 | DE64-02616A   | SCREEN DOOR-B;<br>ME712MR,SAN,black,Marimba  | SNA | 1    |
| 1-7 | 2    | D011 | DE64-02355A   | KEY DOOR; 0.7ECO PLATFORM,POM,BLACK          | SA  | 1    |

## 1.2. Assy Control

### Exploded View



### Parts List

| No.     | Lvl. | Loc. | Material Code | Description & Specification                   | SNA | Qty. |
|---------|------|------|---------------|-----------------------------------------------|-----|------|
| 1       | 1    | C082 | DE94-02918A   | ASSY CONTROL BOX;<br>GE87M/XEF,BLACK,ABS,0.8  | SNA | 1    |
| 1-2     | 2    | F316 | DE92-03439M   | ASSY PCB MAIN;<br>RCS-SMS3L-295,MUSE2-PJT,30  | SA  | 1    |
| 1-3     | 2    |      | DE94-02916A   | ASSY CONTROL PANEL-(TACT);<br>GE87M/XEF,BLAC  | SA  | 1    |
| 1-3-1   | 3    | R014 | DE61-70076A   | SPRING-BUTTON;<br>HSWR-SWRH,PI0.6,OD19,L23,5  | SNA | 1    |
| 1-3-2   | 3    | C005 | DE64-02663A   | CONTROL-PANEL; GE87M,ABS,BLACK,0.8<br>MARIMB  | SNA | 1    |
| 1-3-3   | 3    | C206 | DE94-02908A   | ASSY BUTTON-PUSH;<br>GE712MR/BWT,ABS,STSS,SP  | SA  | 1    |
| 1-3-3-1 | 4    | C207 | DE64-02624A   | INLAY-BUTTON;<br>MARIMBA,STAINLESS-STSS430,T0 | SNA | 1    |

| No.     | Lvl. | Loc. | Material Code | Description & Specification                  | SNA | Qty. |
|---------|------|------|---------------|----------------------------------------------|-----|------|
| 1-3-3-2 | 4    | C007 | DE64-02617A   | BUTTON PUSH; ME73MR,ABS,NEO STS<br>SILVER,Ma | SNA | 1    |
| 1-3-4   | 3    |      | DE64-02668A   | INLAY PANEL;<br>GE87M,STAINLESS-ST5430,T0.3, | SNA | 1    |
| 1-3-5   | 3    | C009 | DE64-02664A   | WINDOW-DISPLAY; GE87M,SAN,BLACK,0.8<br>MARIM | SNA | 1    |
| 1-4     | 2    | C084 | DE96-00989A   | ASSY KEY MODULE;<br>GE87M/XEF,DKM-GE87M,MARI | SA  | 1    |
| 1-5     | 2    |      | DE64-02666A   | BUTTON SELECT-A; GE87M,ABS,SILVER,0.8<br>MAR | SA  | 1    |
| 1-6     | 2    | C035 | DE64-02667A   | BUTTON-CLOCK; GE87M,ABS,BLACK,0.8<br>MARIMBA | SNA | 1    |
| 1-7     | 2    | C058 | DE63-00302A   | CUSHION-PCB; PUR<br>FOAM,T5.0,W102,L78,BLACK | SNA | 1    |