


# 1. Freezer

## Exploded View




## Parts List

| No.   | Lvl. | Loc.  | Material Code | Description & Specification               | SNA | Qty. |
|-------|------|-------|---------------|-------------------------------------------|-----|------|
| 1     | 2    | M0303 | DA97-19185A   | ASSY COVER EVAP-FRE; RS8000NC,2-Door, 3-D | SA  | 1    |
| 1-1   | 3    |       | DA31-00345A   | MOTOR BLDC FAN; AIO-Q7,1795-1994rpm,12V,2 | SA  | 1    |
| 2     | 2    | M0304 | DA97-19186A   | ASSY COVER MULTI-FRE; RS8000NC,2-Door, In | SA  | 1    |
| 2-1   | 3    | A1018 | DA32-00070C   | SENSOR TEMP; SC41200-021A,250mm,11.73kohm | SA  | 1    |
| 3     | 2    |       | DA97-19210A   | ASSY CASE BASKET-UP; RS8000NC             | SA  | 1    |
| 4     | 2    | A1186 | DA97-19211A   | ASSY CASE BASKET-LOW; RS8000NC            | SA  | 1    |
| 5     | 2    |       | DA97-19217A   | ASSY COVER SLIDE-FRE; RS8000NC            | SA  | 1    |
| 5-1   | 3    |       | DA97-19505A   | ASSY COVER SLIDE-FRE A; RS8000NC          | SNA | 1    |
| 5-1-1 | 4    |       | DA63-07113A   | GROMMET-COVER SIDE; HM12,Si               | SA  | 2    |
| 5-2   | 3    |       | DA97-19506A   | ASSY COVER SLIDE-FRE B; RS8000NC          | SNA | 1    |
| 5-2-1 | 4    | G0587 | DA63-00202C   | GROMMET-RAIL; TD-PJT,PA66,W10.7,COOL WHIT | SA  | 2    |

| No. | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-----|------|-------|---------------|----------------------------------------------|-----|------|
| 6   | 2    | A0163 | DA96-01316C   | ASSY EVAP-FRE; RS8000NC,FIN TUBE             | SA  | 1    |
| 6-1 | 3    | A1018 | DA32-00070Q   | SENSOR TEMP;<br>DKST1329GW,DOUBLE_INSULATION | SA  | 1    |
| 6-2 | 3    | A0744 | DA61-05160A   | FIXER FUSE;<br>CULLI_09,PP,T2,NATURAL,HB,BJ7 | SNA | 1    |
| 6-3 | 3    |       | DA47-00508A   | HEATER METAL SHEATH; AC230V,RS8000NC<br>FRE, | SNA | 1    |
| 6-4 | 3    |       | DA59-00618A   | EVAPORATOR-FRE; FIN<br>TUBE,RS8000NC,2,A1070 | SNA | 1    |
| 6-5 | 3    | G0205 | DA61-04921B   | FIXER-HEATER FRE;<br>HERMES-PJT,PP,NATURAL,V | SA  | 2    |
| 6-6 | 3    |       | DA61-12385A   | PLATE HEATER;<br>BRF8000M,A1,T0.7,A1100P-H14 | SA  | 1    |
| 6-7 | 3    |       | DA61-12980A   | FIXER SENSOR;<br>RS8000NC,PP,T2,NATURAL,BJ75 | SNA | 1    |
| 6-8 | 3    |       | DA61-13033A   | PLATE DRAIN-FRE;<br>RS8000NC,GL-SAZCC,T0.3   | SNA | 1    |
| 7   | 2    |       | DA67-04659A   | SHELF-BOTTOM; RS8000NC,PP,NATURAL            | SA  | 1    |
| 8   | 2    |       | DA97-19045A   | ASSY SHELF-FRE LOW; RS8000NC                 | SA  | 3    |

## 2. Fridge

### Exploded View




### Parts List

| No.   | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|-------|---------------|----------------------------------------------|-----|------|
| 1     | 2    | G0239 | DA97-19189B   | ASSY COVER MULTI-REF; RS8000NC,2-Door, 3-    | SA  | 1    |
| 1-1   | 3    | A1018 | DA32-00070C   | SENSOR TEMP;<br>SC41200-021A,250mm,11.73kohm | SA  | 1    |
| 2     | 2    | Z1177 | DA97-19188A   | ASSY COVER EVAP-REF; RS8000NC,2-Door, 3-D    | SA  | 1    |
| 2-1   | 3    |       | DA31-00345A   | MOTOR BLDC FAN;<br>AIO-Q7,1795-1994rpm,12V,2 | SA  | 1    |
| 2-2   | 3    |       | DA61-08437A   | GUIDE AIR-REF;<br>HM12,HIPS,HB,454N,NATURAL, | SA  | 1    |
| 3     | 2    |       | DA97-19046A   | ASSY SHELF-REF UP; RS8000NC                  | SA  | 2    |
| 4     | 2    |       | DA97-19047A   | ASSY SHELF-REF LOW; RS8000NC                 | SA  | 2    |
| 5     | 2    |       | DA97-19214A   | ASSY CASE VEG-UP; RS8000NC                   | SA  | 1    |
| 6     | 2    |       | DA97-19218A   | ASSY COVER SLIDE-REF; RS8000NC               | SA  | 1    |
| 6-1   | 3    |       | DA97-19504A   | ASSY COVER SLIDE-REF A; RS8000NC             | SNA | 1    |
| 6-1-1 | 4    |       | DA63-07113A   | GROMMET-COVER SIDE; HM12,Si                  | SA  | 2    |

| No.   | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|-------|---------------|----------------------------------------------|-----|------|
| 6-2   | 3    |       | DA97-19507A   | ASSY COVER SLIDE-REF B; RS8000NC             | SNA | 1    |
| 6-2-1 | 4    | G0587 | DA63-00202C   | GROMMET-RAIL; TD-PJT,PA66,W10.7,COOL WHIT    | SA  | 2    |
| 7     | 2    | M0300 | DA97-19213A   | ASSY CASE VEG-LOW; RS8000NC,PLUMBING         | SA  | 1    |
| 8     | 2    | A0626 | DA97-19058H   | ASSY COVER CONTROL;<br>RS8000NC,PLUMBING     | SA  | 1    |
| 8-1   | 3    | G0412 | 6002-000630   | SCREW-TAPPING;<br>PH,+,NO,2S,M3,L8,ZPC(WHT), | SNA | 5    |
| 9     | 2    |       | DA63-09405A   | COVER-OPTICAL LED; RS8000NC,GPPS,T2,TP BL    | SA  | 1    |
| 10    | 2    |       | DA96-01119B   | ASSY LAMP LED;<br>5,FR-4,150*12,WHITE,SMAW25 | SA  | 1    |
| 11    | 2    | A0184 | DA96-01318A   | ASSY EVAP-REF; RS8000NC,FIN TUBE,A+,A++      | SA  | 1    |
| 11-1  | 3    | A1018 | DA32-00070Q   | SENSOR TEMP;<br>DKST1329GW,DOUBLE_INSULATION | SA  | 1    |
| 11-2  | 3    |       | DA59-00619A   | EVAPORATOR-REF; Fin Tube,RS8000NC,<br>Alumit | SNA | 1    |
| 11-3  | 3    |       | DA61-06013B   | FIXER WIRE;<br>AW3-PJT,PP,T2,NATURAL,HB,BJ75 | SA  | 1    |
| 11-4  | 3    |       | DA61-12980A   | FIXER SENSOR;<br>RS8000NC,PP,T2,NATURAL,BJ75 | SNA | 1    |

### 3. Assy Cabinet

#### Exploded View



#### Parts List

| No.   | Lvl. | Loc. | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|------|---------------|----------------------------------------------|-----|------|
| 1     | 2    |      | DA94-04189B   | ASSY LINER-FRE; RS8000NC,In cabi I/M         | SNA | 1    |
| 1-1   | 3    |      | DA97-19607A   | ASSY GROMMET; RH9000M,Assy                   | SNA | 3    |
| 1-1-1 | 4    |      | DA61-06328A   | SEAL CUTT SPONGE; RH9000M,PU<br>FOAM,Black,T | SNA | 3    |
| 2     | 2    |      | DA94-04188D   | ASSY LINER-REF; RS8000NC,2door,Plumbing      | SNA | 1    |
| 2-1   | 3    |      | DA97-19607A   | ASSY GROMMET; RH9000M,Assy                   | SNA | 2    |
| 2-1-1 | 4    |      | DA61-06328A   | SEAL CUTT SPONGE; RH9000M,PU<br>FOAM,Black,T | SNA | 2    |

| No.   | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|-------|---------------|----------------------------------------------|-----|------|
| 3     | 1    |       | DA94-05027H   | ASSY PCB EEPROM;<br>0x36,D601,D603,D605,D606 | SA  | 1    |
| 3-1   | 2    | A0952 | DA92-01195F   | ASSY PCB MAIN;<br>RS8000NC,165*242,220V,REAC | SA  | 1    |
| 3-1-1 | 5    | A0573 | 2007-008779   | R-CHIP; 0ohm,1%,1/16W,TP,1005                | SA  | 17   |
| 3-1-2 | 5    | A0268 | 2203-007392   | C-CER,CHIP; 2200nF,10%,16V,X5R,TP,1005,T0    | SA  | 4    |
| 4     | 2    |       | DA61-04932B   | FIXER-HINGE; PO-SPHC,T3,Zn coating           | SA  | 2    |
| 5     | 2    |       | DA97-05529C   | ASSY-BRACKET HANDLE;<br>HREMES-PJT,SWCH10A,- | SA  | 4    |
| 6     | 2    | A0235 | DA97-13181B   | ASSY COVER-PBA MAIN;<br>ROMANEE-CONTI,T0.5   | SA  | 1    |
| 7     | 2    |       | DA97-19132A   | ASSY HINGE-UP RIGHT; RS8000NC,BLK            | SA  | 1    |
| 7-1   | 3    |       | DA63-50192A   | SHIM-HINGE UPP; PVC,T1.0,T1.0                | SA  | 1    |
| 8     | 2    |       | DA97-19227A   | ASSY HINGE-UP LEFT; RS8000NC,BLK             | SA  | 1    |
| 8-1   | 3    |       | DA63-50192A   | SHIM-HINGE UPP; PVC,T1.0,T1.0                | SA  | 1    |
| 9     | 2    |       | DA97-19247A   | ASSY COVER HINGE-UP LEFT;<br>RS8000NC,ABS,2. | SA  | 1    |
| 9-1   | 3    | A1108 | DA32-00074A   | SENSOR HUMIDITY; 5V,0~100%RH,REF             | SA  | 1    |
| 9-2   | 3    | G0068 | DA34-00043A   | SWITCH REED; UL1007 AWG<br>22,100mm,DEM1-B50 | SA  | 1    |
| 10    | 2    |       | DA97-19248A   | ASSY COVER HINGE-UP RIGHT;<br>RS8000NC,ABS,2 | SA  | 1    |
| 10-1  | 3    | G0068 | DA34-00043A   | SWITCH REED; UL1007 AWG<br>22,100mm,DEM1-B50 | SA  | 1    |
| 10-2  | 3    |       | DA63-08442A   | COVER HINGE-B; RF9000K,ABS,INOX<br>GRAY,HG-0 | SA  | 1    |
| 10-3  | 3    |       | DA92-00817A   | ASSY MODULE; BUZZER PBA,RB6000K              | SA  | 1    |
| 10-4  | 3    |       | DB92-03769A   | ASSY MODULE; ASSY GENDER,ASSY<br>GENDER, CEM | SA  | 1    |
| 11    | 2    |       | DA97-15662E   | ASSY HOSE-REF; RS8000NC                      | SA  | 1    |
| 11-1  | 3    | G0412 | 6002-000213   | SCREW-TAPPING;<br>TH,+,1,M4,L12,ZPC(WHT),SWR | SNA | 9    |
| 11-2  | 3    |       | DA60-00336A   | FITTING TUBE; POM,1/4                        | SNA | 1    |
| 11-3  | 3    |       | DA61-04522A   | CLIP-FITTING LOCK; AW,POM,NATURAL            | SNA | 4    |
| 11-5  | 3    |       | DA62-01378B   | VALVE-FITTING PU; AT06,C3604                 | SNA | 1    |
| 11-6  | 3    |       | DA63-04744A   | COVER-CHECK VALVE;<br>HM,PP,HB,GRAY,CNTK-P-1 | SA  | 1    |
| 11-7  | 3    | G0589 | DA65-20110B   | CABLE CLAMP; PA66                            | SNA | 8    |
| 11-8  | 3    |       | DA99-03490S   | ASSY INSTALL-ACCESSORY; VALVE                | SNA | 1    |
| 12    | 2    |       | DA97-19278A   | ASSY GUIDE HOSE; RS8000NC,BASIC              | SNA | 1    |
| 13    | 2    |       | DA97-20528C   | ASSY CASE DISPLAY; RS8000NC,2 DOOR,IN<br>CAB | SNA | 1    |
| 14    | 2    |       | DA97-19254D   | ASSY CABI-BOTTOM; RS8000NC,PP<br>SCRAP,SNOW  | SNA | 1    |


| No.      | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|----------|------|-------|---------------|----------------------------------------------|-----|------|
| 14-1     | 3    | G0412 | 6002-000213   | SCREW-TAPPING;<br>TH,+,1,M4,L12,ZPC(WHT),SWR | SNA | 1    |
| 14-2     | 3    | G0412 | 6002-000215   | SCREW-TAPPING;<br>TH,+,1,M4,L16,ZPC(WHT),SWR | SNA | 2    |
| 14-3     | 3    | M0146 | DA61-01920A   | FIXER-CASTER; ZPC2,SWRCH10A,OD8.0,L58        | SA  | 1    |
| 14-4     | 3    | M0145 | DA61-04702A   | CASTER-FRONT; AW-PJT,PP,BLACK,PP(M/B<br>0103 | SA  | 1    |
| 14-5     | 3    |       | DA61-13001A   | GUIDE HOSE-BOTTOM;<br>RS8000NC,HDPE,YR5100B, | SNA | 1    |
| 14-6     | 3    |       | DA97-14046B   | ASSY HINGE-LOW LEFT; FSR CD,DISPENSER        | SA  | 1    |
| 14-6-1   | 4    | A0577 | DA61-07972B   | FOOT-FRONT; POLARIS,PP,BLACK,INSERT<br>NUT,  | SA  | 1    |
| 14-6-2   | 4    | A0863 | DA61-07973B   | FOOT;<br>POLARIS,PP,BLACK,PP_S,0103-007539,Y | SA  | 1    |
| 14-6-3   | 4    |       | DA66-01127A   | CAM RISER-FRE LOW; FSR<br>CD,PA66,BLACK,KN33 | SNA | 1    |
| 14-6-4   | 4    |       | DA61-09275B   | HINGE-LOW LEFT; FSR<br>CD,PO-SPHC,T5,DISPENS | SNA | 1    |
| 14-6-4-1 | 5    | A0517 | DA66-00793A   | SHAFT-LEG FRONT;<br>POLARIS,SWRCH10A,BLACK,E | SA  | 1    |
| 14-7     | 3    |       | DA97-19056A   | ASSY HINGE-LOW RIGHT;<br>RS8000NC,T7,2DOOR   | SA  | 1    |
| 14-7-1   | 4    | G0412 | 6002-000217   | SCREW-TAPPING;<br>TH,+,NO,1,M4,L8,ZPC(WHT),S | SA  | 1    |
| 14-7-2   | 4    | A0837 | 6021-000171   | NUT-HEXAGON; 3C,M12,SN PLT,STS304            | SNA | 1    |
| 14-7-3   | 4    |       | 6031-001297   | WASHER-SPRING;<br>STS304,ID12.3,OD21.5,T2,ZP | SNA | 1    |
| 14-7-4   | 4    | A0577 | DA61-09458A   | FOOT-FRONT; PP,I BLACK,0103-001846,0103-0    | SA  | 1    |
| 14-7-5   | 4    | A0863 | DA61-09459A   | FOOT; PP,I BLACK,0103-001846,0103-007621,    | SA  | 1    |
| 14-7-6   | 4    |       | DA66-00891A   | CAM-HINGE RISER REF LOW; MONTES<br>ALPHA,PA6 | SA  | 1    |
| 14-7-7   | 4    |       | DA66-00911C   | SHAFT HINGE;<br>POLARIS,SWRCH10A,WHITE,FORGI | SA  | 1    |
| 14-8     | 3    | A0564 | DA60-10123C   | BOLT-HEX;<br>M6,L24,ZPC(WHT),SWRCH18A,HWH He | SA  | 6    |
| 15       | 3    |       | DA97-19255A   | ASSY CASE DISPLAY; RS8000NC,REF              | SNA | 1    |
| 16       | 2    |       | DA97-06920U   | ASSY REINF-CABI FLANGE UP; RS8000NC          | SNA | 1    |
| 16-1     | 3    |       | 6011-001694   | BOLT-ETC; M8,L14.1(3.4),FE-FZB,SCM435,3-B    | SNA | 1    |
| 17       | 2    |       | DA97-19288A   | ASSY CABI FRAME-MIDDLE FRONT;<br>RS8000NC,T0 | SNA | 1    |
| 18       | 2    |       | DA97-19310B   | ASSY PIPE SUCTION; RS8000NC,A+, OD6.35       | SNA | 1    |
| 18-1     | 3    |       | DA97-19310A   | ASSY PIPE SUCTION; RS8000NC,A+,OD6.35        | SNA | 1    |
| 18-1-1   | 4    |       | DA62-01018A   | SEAL CUTT-RUBBER;<br>RR2500K,RUBBER,BLACK,T5 | SA  | 1    |

| No.    | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|--------|------|-------|---------------|----------------------------------------------|-----|------|
| 18-1-2 | 4    |       | DA72-60040W   | SEAL-CUTT RUBBER;<br>TD-PJT,RUBBER,BLACK,T5, | SA  | 1    |
| 19     | 2    |       | DA61-13703A   | CASE PBA; RS8000,PC,EBONY<br>BLACK,1-BOARD   | SA  | 1    |
| 20     | 2    | A0273 | 3903-001015   | POWER CORD-AT; H05VV-F<br>3x0.75mm2,BLK,EU3F | SA  | 1    |
| 21     | 2    |       | DA97-19242C   | ASSY CABI-REAR; RS8000NC,IN CABI I/M, NO     | SNA | 1    |
| 21-1   | 3    |       | DA61-11296A   | FIXER; AW3-14,HIPS,NATURAL,S834S1            | SA  | 4    |
| 21-4   | 3    |       | DA62-01329A   | PIPE-CONNECT WATER PACKING;<br>ET-PJT,BRASS, | SNA | 1    |



## 4. Assy Cycle

### Exploded View




### Parts List

| No. | Lvl. | Loc.  | Material Code  | Description & Specification                                   | SNA | Qty. |
|-----|------|-------|----------------|---------------------------------------------------------------|-----|------|
| 1   | 2    |       | NF54M7151ANAK3 | CMP,COMP,REFRIGERATOR,R-600A;<br>CMP,COMP,REFRIGERATOR,R-600A |     | 1    |
| 1-1 | 3    | A0564 | 6011-004061    | BOLT-HEX; M6,L43.6,SWRCH10A                                   | SNA | 4    |
| 1-2 | 3    | Z1112 | DA63-02617C    | GROMMET COMP; NN34J9902AP,IIR,ALL<br>BLACK,H                  | SNA | 4    |
| 1-3 | 3    | Z1032 | DA63-06122A    | COVER RELAY; MSV,MPPO,T2,BLACK,V-0                            | SA  | 1    |
| 2   | 2    | A0562 | DA39-20389L    | ASSY WIRE HARNESS-EARTH;<br>EARTH,ALL,,,,,FR                  | SA  | 1    |
| 3   | 2    |       | DA60-00279A    | FITTING-LOKRING 16; SUM23,16,<br>11SMnPb30K                   | SA  | 1    |
| 4   | 2    |       | DA60-00280A    | FITTING-LOKRING 33; SUM23,33,<br>11SMnPb30K                   | SA  | 1    |
| 5   | 2    |       | DA60-00281A    | FITTING LOKRING;<br>SUM23,ID5.02,11SMnPb30K,                  | SA  | 1    |

| No.    | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|--------|------|-------|---------------|----------------------------------------------|-----|------|
| 6      | 2    |       | DA62-05304A   | SEAL GUIDE PIPE; RS8000NC,PE<br>FOAM,T20,B,F | SNA | 1    |
| 7      | 2    | A0669 | DA62-04309A   | DRYER; C1220T-H,L137,SINGLE MOUTH,For<br>VAL | SA  | 1    |
| 8      | 2    |       | DA62-04678B   | VALVE STEP;<br>DC12V,MODULE,2WAY,RIGHT/RIGHT | SA  | 1    |
| 9      | 2    |       | DA62-05167A   | PIPE CONNECT-SUCTION;<br>RS8000NC,Cu,OD6.35, | SA  | 1    |
| 10     | 2    | M0076 | DA97-19123A   | ASSY COVER COMP;<br>RS8000NC,GI-SGCC,T0.25   | SA  | 1    |
| 11     | 2    | A0523 | DA73-10190U   | PIPE-CONNECT DISC,B;<br>ALL,Cu,C1220T,OD6.35 | SA  | 1    |
| 12     | 2    | M0067 | DA97-04049D   | ASSY CAP-DRAIN; AW,ASSY,-,-,L224.5,-,FIXE    | SA  | 1    |
| 12-1   | 3    | A0336 | DA61-05021A   | FIXER-DRAIN; HAEMIL,PP,T0.6,CARMEN<br>WINE,B | SA  | 1    |
| 12-2   | 3    |       | DA63-02761A   | GROMMET-DRAIN; RS18RK,NBR,BLACK              | SA  | 1    |
| 12-3   | 3    | A0492 | DA67-01301A   | CAP-DRAIN; AW4,HIPS,HB,S834S1,NATURAL        | SA  | 1    |
| 13     | 2    |       | DA97-18856A   | ASSY CAP DRAIN; RQ9500M                      | SA  | 1    |
| 13-1   | 3    | A0336 | DA61-05021A   | FIXER-DRAIN; HAEMIL,PP,T0.6,CARMEN<br>WINE,B | SA  | 1    |
| 13-2   | 3    |       | DA63-02761A   | GROMMET-DRAIN; RS18RK,NBR,BLACK              | SA  | 1    |
| 13-3   | 3    | A0492 | DA67-01301A   | CAP-DRAIN; AW4,HIPS,HB,S834S1,NATURAL        | SA  | 1    |
| 14     | 2    |       | DA97-19448A   | ASSY CHASSIS; RS8000NC                       | SNA | 1    |
| 14-1   | 3    | A0526 | DA97-19127A   | ASSY CHASSIS COMP; RS8000NC,GI-SGCC,1.2      | SA  | 1    |
| 14-1-1 | 4    | A0527 | DA61-04703A   | CASTER-REAR; AW-PJT,PP,BLACK,BJ750 PP<br>M/B | SA  | 2    |
| 14-1-2 | 4    | M0212 | DA66-00649B   | SHAFT-CASTER;<br>POLARIS,MSWR10,L44,ID8.0,OD | SA  | 2    |
| 14-2   | 3    | A0529 | DA97-19128A   | ASSY TRAY DRAIN WATER; RS8000NC              | SA  | 1    |
| 14-2-1 | 4    | G0412 | 6002-000213   | SCREW-TAPPING;<br>TH,+,1,M4,L12,ZPC(WHT),SWR | SNA | 3    |
| 14-2-2 | 4    |       | DA60-00321A   | FITTING-LOKRING AL 12; AL,LOKRING 5 N<br>AL  | SNA | 2    |
| 14-2-3 | 4    | M0116 | DA97-20025B   | ASSY SUPPORT-CIRCUIT MOTOR;<br>RS5000RC,C160 | SA  | 1    |
| 14-2-4 | 4    |       | DA97-20140A   | ASSY PIPE IMMERGING;<br>RS8000NC,TSW,OD4.76, | SA  | 1    |
| 14-2-5 | 4    |       | DA97-20131A   | ASSY PIPE IMMERGING;<br>RS8000NC,TSW,OD4.76, | SA  | 1    |

## 5. Freezer Door

### Exploded View




### Parts List

| No.       | Lvl. | Loc.  | Material Code | Description & Specification               | SNA | Qty. |
|-----------|------|-------|---------------|-------------------------------------------|-----|------|
| 1         | 2    | M0063 | DA91-04890A   | ASSY DOOR FOAM-FRE; RS8000NC,S9,FRE, BAR, | SA  | 1    |
| 1-1       | 3    |       | DA97-19173A   | ASSY PLATE DOOR-FRE; RS8000NC,DISP, IN CA | SNA | 1    |
| 1-1-1     | 4    |       | DA97-19228F   | ASSY CASE DISPENSER; RS8000NC,BLACK       | SNA | 1    |
| 1-1-1-1   | 5    |       | DA97-19028A   | ASSY CASE ICE ROUTE; RS8000NC,220V        | SA  | 1    |
| 1-1-1-1-1 | 6    | G0412 | 6002-000213   | SCREW-TAPPING; TH,+,1,M4,L12,ZPC(WHT),SWR | SNA | 2    |
| 1-1-1-1-2 | 7    | M0200 | DA31-00079A   | MOTOR GEARED AC DISP; MVLA15AR11/MCFA182A | SA  | 1    |
| 1-1-1-1-3 | 8    | A0534 | DA33-10011A   | MAGNET; SSM-390,T2,W5,L7,-,               | SNA | 1    |
| 1-1-1-1-4 | 9    | A1089 | DA63-07654A   | COVER MOTOR; FSR,HIPS,HB,NATURAL          | SNA | 1    |

| No.     | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|---------|------|-------|---------------|----------------------------------------------|-----|------|
| 1-1-1-1 | 5    |       | DA97-00151D   | SWITCH REED; UL1007 AWG 22,L180(330)         | SNA | 1    |
| 1-1-1-2 | 5    | G0412 | 6002-000471   | SCREW-TAPPING; TH,+,1,M4,L12,PASS,STS304     | SNA | 2    |
| 1-1-1-3 | 5    | A0842 | 3405-001117   | SWITCH-MICRO;<br>125/250VAC,1A,80gf,SPST-NO  | SA  | 1    |
| 1-1-2   | 4    |       | DA97-19262D   | ASSY CAP DOOR-FRE UP; RS8000NC,INOX GRAY,    | SNA | 1    |
| 1-1-2-1 | 5    |       | DA67-02795C   | CAP-SHAFT HOLE;<br>AW3,ABS,HG-0760GP,SNOW WH | SA  | 1    |
| 1-1-2-2 | 5    | A0534 | DA61-03769A   | MAGNET-A; HERMES,FERRITE,1600Gauss           | SNA | 1    |
| 1-1-2-3 | 5    | G0412 | 6002-001547   | SCREW-TAPPING;<br>FH,+,NO,1,M4,L10,ZPC(WHT), | SA  | 1    |
| 1-1-3   | 4    | A0047 | DA97-19263D   | ASSY CAP DOOR-FRE LOW;<br>RS8000NC,2DOOR, 3D | SNA | 1    |
| 1-1-3-1 | 5    | A0848 | 6001-001377   | SCREW-MACHINE;<br>TH,+,M5,L25,ZPC(WHT),SWRCH | SNA | 3    |
| 1-1-3-2 | 5    |       | DA61-07527A   | STOPPER-DOOR FRE LOW;<br>POLARIS,PO-SPHC,T4. | SA  | 1    |
| 1-1-3-3 | 5    | M0265 | DA66-00558B   | CAM HINGE-RISER UPP L;<br>POLARIS,PA66,BLACK | SA  | 1    |
| 1-2     | 3    |       | DA64-05766B   | PANEL-FRE; RS8000NC,HIPS,W339.2,L1647.5,R    | SNA | 1    |
| 1-3     | 3    |       | DA67-04657A   | CAP CHUTE ICE; RS8000NC,HIPS,T2.5,HB,S834    | SA  | 1    |
| 2       | 2    |       | DA97-19030A   | ASSY LEVER DISPENSER; RS8000NC,BLACK         | SA  | 1    |
| 3       | 2    |       | DA97-19031A   | ASSY COVER DISPENSER; RS8000NC,BLACK         | SA  | 1    |
| 3-1     | 3    | G0412 | 6002-000630   | SCREW-TAPPING;<br>PH,+,NO,2S,M3,L8,ZPC(WHT), | SNA | 7    |
| 4       | 2    |       | DA97-19850W   | ASSY GASKET-FRE; RS8000,L1647.5 W344.5,GR    | SA  | 1    |
| 5       | 2    |       | DA97-19099A   | ASSY GUARD-FRE UP; RS8000NC,Basic            | SA  | 1    |
| 6       | 2    |       | DA97-19101A   | ASSY GUARD-FRE LOW; RS8000NC                 | SA  | 1    |
| 7       | 2    |       | DA97-19158A   | ASSY GUARD-FRE; RS8000NC,IN CABI             | SA  | 1    |
| 8       | 2    |       | DA97-19206A   | ASSY GUARD-FRE TOP; RS8000NC,IN CABI         | SA  | 1    |

## 6. Fridge Door

### Exploded View




### Parts List

| No.     | Lvl. | Loc.  | Material Code | Description & Specification               | SNA | Qty. |
|---------|------|-------|---------------|-------------------------------------------|-----|------|
| 1       | 2    | Z1100 | DA91-04891A   | ASSY DOOR FOAM-REF; RS8000NC,S9,REF, BAR  | SA  | 1    |
| 1-1     | 3    |       | DA97-19176A   | ASSY PLATE DOOR-REF; RS8000NC,BAR,MATT DO | SNA | 1    |
| 1-1-1   | 4    |       | DA97-19265D   | ASSY CAP DOOR-REF UP; RS8000NC,INOX GRAY, | SNA | 1    |
| 1-1-1-1 | 5    |       | DA67-02795C   | CAP-SHAFT HOLE; AW3,ABS,HG-0760GP,SNOW WH | SA  | 1    |
| 1-1-2   | 4    | A0048 | DA97-19270D   | ASSY CAP DOOR-REF LOW; RS8000NC,BLACK,2DO | SNA | 1    |
| 1-1-2-1 | 5    | A1017 | DA61-07526A   | STOPPER-DOOR REF LOW; POLARIS,PO-SPHC,T4. | SA  | 1    |
| 1-1-2-2 | 5    | G0554 | DA66-00557A   | CAM HINGE-RISER UPP R; GUGGENHEIM,PA66,BL | SA  | 1    |
| 1-2     | 3    | M0196 | DA64-04021C   | MASCOT; ALL,Ni,T0.06,L90                  | SA  | 1    |

| No. | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-----|------|-------|---------------|----------------------------------------------|-----|------|
| 1-3 | 3    |       | DA64-05767A   | PANEL-REF; RS8000NC,HIPS,W462.8,L1647.5,R    | SNA | 1    |
| 2   | 2    |       | DA97-19850V   | ASSY GASKET-REF; RS8000,,L1647.5 W469.5,G    | SA  | 1    |
| 3   | 2    |       | DA97-19097A   | ASSY GUARD-REF UP; RS8000NC                  | SA  | 3    |
| 4   | 2    | Z1106 | DA67-40322A   | TRAY-EGG; SR-51.55.59,GPPS,BLUE              | SA  | 1    |
| 5   | 2    | A0636 | DA97-19102A   | ASSY GUARD DAIRY; RS8000NC                   | SA  | 1    |
| 5-1 | 3    |       | DA67-02920A   | CAP-HINGE DAIRY R;<br>HERMES,POM,K300,NATURA | SA  | 1    |
| 5-2 | 3    |       | DA67-02921A   | CAP-HINGE DAIRY L;<br>HERMES,POM,K300,NATURA | SA  | 1    |
| 6   | 2    | G0400 | DA97-19098A   | ASSY GUARD-REF LOW; RS8000NC                 | SA  | 1    |

## 7. Assy Handle Kit

### Exploded View



### Parts List

| No.   | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty. |
|-------|------|-------|---------------|----------------------------------------------|-----|------|
| 1     | 2    |       | DA97-19219B   | ASSY HANDLE-KIT; RS8000NC,INOX               | SNA | 1    |
| 1-1   | 3    |       | DA97-05075N   | ASSY-HANDLE BAR REF;<br>HERMES,AL(A6063), HA | SA  | 2    |
| 1-1-1 | 4    |       | DA67-02024J   | CAP-HANDLE SIDE;<br>HERMES,ABS,MANHATTAN PEA | SA  | 4    |
| 2     | 2    | M0299 | DA97-19131A   | ASSY CASE AUGER MOTOR; RS8000NC              | SA  | 1    |
| 2-1   | 3    | M0199 | DA31-00105F   | MOTOR GEARED AC AUGER; ISG3240SSH-1 /<br>ORG | SA  | 1    |
| 2-2   | 3    | T0036 | DA60-00001B   | SCREW-SPECIAL; HEX,M10,L6.3,PASS,STS304      | SA  | 3    |
| 2-3   | 3    |       | DA61-13053A   | SUPPORT CASE AUGER;<br>RS8000NC,ABS,T2.5,HG- | SA  | 1    |
| 2-4   | 3    |       | DA63-09376A   | COVER LAMP-FRE;<br>RS8000NC,PP,T2.5,HB,NATUR | SA  | 1    |
| 2-5   | 3    |       | DA70-20017A   | PLATE-D/AUGER DISP; STS304,T3                | SA  | 1    |
| 2-6   | 3    | M0166 | DA71-00163A   | FIXER-NUT;<br>ZIPEL,STS420,T1,STS420-J2,BODY | SA  | 1    |

| No.   | Lvl. | Loc.  | Material Code | Description & Specification                  | SNA | Qty.  |
|-------|------|-------|---------------|----------------------------------------------|-----|-------|
| 2-7   | 3    |       | DA96-01119A   | ASSY LAMP LED;<br>3EA,FR-4,150*12,WHITE,SMAW | SA  | 1     |
| 2-8   | 3    |       | DA97-13280A   | ASSY-SOLENOID; HM12                          | SNA | 1     |
| 2-8-1 | 4    |       | DA61-20140A   | SPRING ETC-SOLENOID;<br>SR-S7180,STS304,ID7. | SA  | 1     |
| 2-8-2 | 4    | M0263 | DA63-90008A   | BUSH-SOLENOID; POM,SC-93438R                 | SA  | 1     |
| 2-8-3 | 4    |       | DA61-60001A   | SLIDER-SOLENOID DISP; SSED<br>PJT,POM,NATUR  | SA  | 1     |
| 2-9   | 3    | M0260 | DA96-00036Z   | ASSY WIRE HARNESS-AUGER;<br>AUGER,ALL,,YES,Y | SA  | 1     |
| 3     | 2    | A0105 | DA97-19040A   | ASSY TRAY ICE; RS8000NC,INCABI PP I/M        | SA  | 1     |
| 3-1   | 3    | G0412 | 6002-000473   | SCREW-TAPPING;<br>TH,+,NO,1,M4,L14,PASS,STS3 | SA  | 8     |
| 4     | 2    | M0247 | DA97-19105A   | ASSY ICE MAKER-MECH; RS8000NC,12V            | SA  | 1     |
| 4-1   | 3    | Z1221 | DA61-00954B   | GUIDE-ICE FULL; AW,ABS,NATURAL               | SA  | 1     |
| 4-2   | 3    |       | DA63-02183A   | COVER-SENSOR; AD,PP,T1,WHITE                 | SA  | 1     |
| 4-3   | 3    | A0120 | DA63-02284B   | TRAY ICE; AD,PP,t2.5,HB,NATURAL              | SA  | 1     |
| 5     | 2    |       | DA97-19120A   | ASSY PIPE WATER ICE; RS8000NC,DC 12V, IN     | SA  | 1     |
| 6     | 2    |       | DA97-19116B   | ASSY COVER WATER TANK; RS8000NC,IN<br>CABI   | SA  | 1     |
| 6-1   | 3    | G0526 | DA62-01368F   | PIPE-WATER LINE; Dispenser Model,PE,OD6.3    | SA  | 1.752 |
| 7     | 2    | M0157 | DA63-00586D   | COVER-TUBE FILTER;<br>A-TOP,PP,NATURAL,Flame | SNA | 1     |
| 8     | 2    | M0288 | DA62-00160C   | PIPE-WATER LINE OUT;<br>AD,TPE,OD13.5,WHITE, | SA  | 1     |
| 9     | 2    | T0093 | DA60-00258B   | FITTING-TUBE; TUBE FITTING A,PP,1/4,1/4'-    | SA  | 2     |
| 10    | 2    |       | DA61-12488A   | FIXER COVER;<br>AW3-14,HIPS,NATURAL,S834S1   | SA  | 4     |